

Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF)

PCB ID : 121018

Health Care Facility / CBWTF Name : Sardar Vallabh Bhai Patel District Hospital Satna

1	Year	2023
2	Type of Health Care Facility	Bedded Hospital Gov
3	Number of Beds	400
4	License Number and Date of Expiry of License	AWB-54924 30/04/20
5	Do you have Captive Treatment Facility ?	<input type="radio"/> Yes <input checked="" type="radio"/> No

Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis)

6	Yellow Category	10459.00
7	Red Category	3086.00
8	White Category	225.00
9	Blue Category	2440.00
10	General Solid Waste	00

Details of the Storage, Treatment, Transportation, Processing and Disposal Facility

11	Details of the on-site storage facility	N.A.
12	Treatment Facility	AUC,CHM,CLE,DIF,NEE
13	Quantity of Recyclable Waste sold to Authorized Recyclers after Treatment (in kg / Year)	00
14	Number of Vehicles used for Collection and Transportation of Biomedical Waste	01
15	Details of Incineration Ash and ETP Sludge generated and disposed during the Treatment of waste (in Kg / Year)	00

16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Indo Water Management & Pr
17	Do you have bio-medical waste management committee ? If yes, minutes of the meetings held during the reporting period	<input checked="" type="radio"/> Yes <input type="radio"/> No AS PER NORMS 2016
Details of Trainings conducted on Bio Medical Waste Management		
18	Number of Trainings conducted on BMW Management	06
19	Number of Personnel Trained	50
20	Number of Personnel Trained at the time of Induction	20
21	Number of Personnel not undergone any Training so far	00
22	Whether standard manual for Training is available ?	<input checked="" type="radio"/> Yes <input type="radio"/> No
23	Any other information	NILL
Details of the accident occurred during the year		
24	Number of Accident occurred	00
25	Number of the persons affected	00
26	Remedial Action taken (details if any)	NILL
27	Any Fatality Occurred , details	NILL
28	Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standards?	<input checked="" type="radio"/> Yes <input type="radio"/> No MAINTAINED AS P
29	Details of Continuous Online Emission Monitoring systems installed	NO
30	Liquid waste generated and treatment methods in place . How many times you have not met the standards in a year	AS PER NORMS 2016
31	Is the disinfection method or sterilization meeting the log 4	<input checked="" type="radio"/> Yes <input type="radio"/> No MAINTAINED AS P

	standards ? How many times you have not met the standards in a year ?	
32	Any other relevant information	BMW ANNUAL REPORT 01/01/2023 TO 31/12/2023
Update		